

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	672	474/111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:48
L2	297	474/113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:55
L3	90	474/119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:58
L4	447	474/140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:58
S1	94	(valve adj seat) and carburizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:59
S2	0	(valve adj seat) near carburizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:10
S3	12	(valve adj seat) with carburizing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:19
S4	2	(valve adj seat) with carburizing and (surface near carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:20

S5	3	(valve adj seat) with carburizing and (surface with carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:21
S6	510	carburizing and (surface near carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:21
S7	0	carburizing and ((surface near carbon) with ".55" or ".75")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:22
S8	0	carburizing and ((surface near carbon) with ("55" or "75"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:22
S9	61	carburizing and ((surface near carbon) with ("5" or percent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:22
S10	88	carburizing and ((surface near carbon) with ("% " or percent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:29
S11	5	tensioner and plunger and chamber and (valve adj seat) and (check adj ball) and reservoir	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:31
S12	11	tensioner and plunger and chamber and (valve adj seat) and (check adj ball)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 18:31

S13	1119	474/101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:01
S14	3	474/101 and pushrod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:01
S15	5	474/109 and pushrod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:06
S16	44	474/109 and threads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 10:06
S17	8	("5154091" "5383813" "5632474" "5637047" "5704860" "5713809").PN. OR ("5879255"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:09
S18	17	("4425104" "4472161" "4702726" "4708696").PN. OR ("4863417").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:10
S19	7	("4371360" "4411638" "4863417" "4938735" "4940448" "5391118" "5961410").PN. OR ("6450908").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:11
S20	12	("4507103" "4863417" "5021032").PN. OR ("5713809"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 10:13
S21	345	474/101 and hydraulic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:02
S22	527	474/101 and (hydraulic or oil of fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:02

S23	183	474/101 and (hydraulic or oil of fluid) and (check adj (valve or ball))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 12:03
S24	572	474/109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 13:46